

Batch Release Certificate

Product name: **Dextran 70 USP/JP**Specification No.: **40156**Batch No.: **xxxxxx**Manufacturing date: **mmmm_yyyy**Retest date (3 years): **mmmm_yyyy**

Manufacturing sites: Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark

DKMA No.: 254629

GMP certificate No.: DK API-H 10001351, DK API-V 10001349

FDA establishment No.: FEI 3002807874

FDA facility classification: Acceptable

EDQM certificate No.: Certificates for Dextran 1, 40, 60 & 70 Ph.Eur. available

Method:	Parameter:	Results of analysis:	Limits:
JP	Appearance of powder:	Complies	White, amorphous powder
JP	Identification:	Complies	* Solution does not change in color
USP	Identification A: Infrared Absorption:	Complies	** Complies
USP	Identification B: Viscosity, intrinsic, mL/g:	x	24 – 29
USP	Identification C: Meets the requirements of the tests for Mw distribution and Weight and Number Average Molecular Weights:	Complies	Complies
USP	Specific rotation, (+/-) °:	+x	+195 – +203
JP	Appearance of solution:	Complies	Clear and colorless
USP	Color of solution (Absorbance at 375 nm, 6% sol., 4 cm):	x.xx	≤0.15
USP	pH (6% solution):	x.x	5.0 – 7.0
USP	Average molecular mass, Mw:	x,xxx	63,000 – 77,000
USP	Mw of 10% low fraction:	x,xxx	≤195,000
USP	Mw of 10% low fraction:	x,xxx	≥13,000
USP	Mw/Mn:	x.x	1.4 – 1.9
USP	Mn:	x,xxx	34,000 – 48,000
JP	Assay (dextran after drying, % w/w):	x.x	98.0 – 102.0
JP	Viscosity, intrinsic, dL/g:	x.x	** 0.21 – 0.26
JP	Viscosity, intrinsic, high fraction, dL/g:	x.xx	** ≤0.35
JP	Viscosity, intrinsic low fraction, dL/g:	x.xx	*** ≥0.10
JP	Chloride, % w/w:	Complies	≤0.018
JP	Nitrogen containing impurities, % w/w N:	x,xxx	≤0.010
USP	Nitrogen containing substances, ppm N:	x	≤100
USP	Sulfate, % w/w:	Complies	≤0.03
JP	Reducing substances per g:	Complies	≤10 (mg glucose)
JP	Loss on drying (105°C, 6h), % w/w:	x.x	≤5.0
USP	Loss on drying (105°C, 5h), % w/w:	x.x	≤7.0
JP	Residue on ignition, % w/w:	x.x	≤0.1
USP	Bacterial endotoxins (6% sol.) EU/ml:	x.x	¤ ≤0.5
JP	Pyrogenes (groups of 3 rabbits):	Not tested	† Complies
JP	Antigenicity:	Not tested	† Complies

References to official monographs are to be considered as current editions.

EDQM refers to 'European Directorate for the Quality of Medicines and Healthcare'. DKMA refers to 'Danish Medicines Agency'

*) Test is not carried out. The identification of the product is assured through strict adherence to established GMP rules throughout the manufacturing procedure.

**) Test is not carried out routinely.

***) Test is performed according to modified method that is correlated to Mw.

‡) Test on animals is not conducted.

¤) Determined by turbidimetric kinetic method.

We confirm that no class 1, class 2 and class 3 solvent, cf. ICH Q3C and VICH GL 18, is used in the manufacturing of this product.

We confirm that no metal catalysts or metal reagents are used in the manufacturing of this product. Elemental impurities, cf. ICH Q3D are unlikely to be present.

CERTIFICATE OF CONFORMITY

I hereby certify that the above information is authentic and accurate. This batch of Active Pharmaceutical Ingredient has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements for active starting materials and with the above mentioned specifications. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Date (dd.mm.yyyy):

Qualified Person, Heidi Skjødt Andersen, M.Sc. Pharm